



JIANYE GROUP CO.,LTD.

Company address:

No.136, SHAWANLU, SHAWANZHEN, PANYU, GUANGZHOU, CHINA.

Tel: 8620-34737880/881/882

Fax: 8620-34737878

E-mail: liz@jianyegroup.cn; jianye@jianyegroup.cn

Website: www.onetool.cn

** Welcome to contact us for any specification need to be customized or OEM service

钢具储存系统 STEEL STORAGE SYSTEM



WHO WE ARE?

Jianye Group is one of the leading business conglomerates in Guangzhou with special focus in manufacturing, OEM/ODM, marketing and distribution organization, deeply embedded in the industries and markets it serves.

广州番禺建业进出口贸易有限公司是广州地区一家对内外贸易一体化的公司。

We are focusing in hotel and restaurant equipment, industrial and commercial laundry equipment, air compressors, steel storage systems, machine tools and handbags.

核心业务: 酒店餐厨设备、空压机、工业商业洗涤设备、数控机床、钢制储存、棉纱等代理品牌业务和自营品牌业务。



















Professional Steel Storage System

ABOUT **ONETOOL**-站式

Supply one-stop steel storage solution钢具储存解决文案

ONETOOL is a member of JINAYE GROUP, more than 18 years manufacturing experience in STEELWORK. We insist on offering high quality products to customers, enjoy a high reputation in our customer group and industry.

ONETOOL为建业集团旗下的一个品牌,18年专业生产钢制品,一直以来是广州地区生产钢制产品的先驱者。ONETOOL一直以质量取胜,从不加入市场的价格战,产品深受各企业、政府、学校、医疗、酒店等企事业单位的认可及支持。

ONETOOL storage rack, provide and create a safe and efficient storage environment with high space utilization to customers. Focusing on the design and manufacturing of light, medium, heavy duty rack and the mezzanine rack. With the characteristics of multi angle, high safety coefficient and large bearing capacity.

ONETOOL 仓储货架,为客户提供和创造一个高效的存储环境,专注于轻、中、重型货架、阁楼平台、悬臂货架的设计与制造;拥有多条先进冷弯成型自动化货架生产线及一批横梁自动焊接生产设备,生产严格执行《货架行业标准》,所生产的货架具有多折角,安全系数高,承重力大等特点。

ONETOOL station equipment, a 'must have' tools organizer for higher efficiency and productivity in workshop, service center, vocational institution, production line, R&D center, automobile service garage, university or anywhere tools are being used for service, repair, overhaul or production.

ONETOOL 工位器具、作为车间里必不可少的钢制储存设备,适用于盛装各种零部件、原材料等,满足生产需求,方便生产工人操作,是生产过程中每一个环节所不能缺少的,这是企业改革发展的要求,对保证产品质量、消除无效劳动和浪费、提供工作效率机工作质量、便于科学管理、保证安全生产、改善作业环境、促进文明生产都有一定的积极作用。

ONETOOL steel office furniture, offering a wide range of office furniture for the school, company, government, hospital, hotel, fitness center, etc.

ONETOOL 办公家具,提供一系列的办公家具,如文件柜,书柜,电教讲台,员工柜,员工衣柜,鞋柜,密码柜等适合用于学校,企业,政府部门,医院,酒店,健康中心等。可接受客户独特的设计要求和多种颜色选择。

R&D ability: we continuously develop our R&D, pay attention to the market trend, grasp the opportunities, create and improve the products to meet market demand. Meanwhile, provide professional **OEM** service.

ONETOOL自主研发部, 我们不断发展研发, 关注市场趋势, 把握机遇, 创造和改进产品以满足市场需求。同时, 提供专业的OEM服务。



ABOUT ONETOOL



Cooperation Company 合作伙伴















































































What do you wait? Choose us! Enjoy a good beginning.





Content 目录

MAXIMIZE SPACE UTILIZATION **STORAGE RACK** P02



FOR DIFFERENT WORK STATION **STATION EQUIPMENT**



OFFICE FURNITURE P38 钢制办公家具



NEW TREND FOR THE MARKET **MARKET STALL**







货架 STORAGE RACK



Space For Future


STORAGE


RACK

Shelf Structure 货架结构图	03
Light/Medium Duty Rack 轻中型货架	05
Heavy Duty Rack 重型货架	07
Mezzanine Rack 阁楼式货架	09
Steel Platform 钢平台	11
Very Narrow Aisel Storage Rack 窄道式货架	13
Drive-in Racking 驶入式货架	14
Shuttle Rack 穿梭式货架	15
Cantilever Rack 悬臂式货架	17



STORAGE RACK 货架





Schematic 示意图



Angle steel support bar 角钢支撑架

'H'type support bar

Side frame guard

护栏



'#' type support bar 井字形支撑架



Support bar



One phase support bar 单相支撑架

Foot protector

脚钢护脚



Back guard



U-shape foot protector U型护脚





Light/Medium Duty Rack 轻中型货架

Slotted Angel Shelves 角钢架



Load capcity 承重: 150~200kg

Model 型号	OTJ-01	OTJ-02	OTJ-03	OTJ-04
Size 尺寸	760x310x1524mm	910x460x1830mm	1220x460x1830mm	1200x450x1830mm
Weight 重量	17kg	25kg	33kg	33kg
Color 颜色	silver gray	silver gray/black	silver gray	black

Light & Medium Duty Rack 中轻型货架

---Butterfly hole upright 蝴蝶孔立柱

Application: Suitable for manpower to release the goods, for the enterprise with large storage capacity.中轻型货架适合一般人手放货,和储存量大的企业使用。

Load capcity 承重: 200kg, 300kg, 500kg, 800kg

Length/长度:	1500mm,2000mm
Depth/深度:	600mm,800mm
Height/高度:	2000mm
Layer/层数:	5



Light & Medium Duty Rack 中轻型货架

---Square hole upright 方孔立柱

- Assembling structure, optional combination, easy installation and disassembly.
 Load capacity: 300~1500kg for each layer.
 Layer height: each 50mm or 60mm pitch can be adjusted.

- Professional powder coated surface treatment, superior appearance and durable.



Standard for reference

Model	Specification	Upright	Beam	Load capacity	Layer	Laminate
型号	规格(mm)	立柱(mm)	横梁(mm)	每层承重(kg)	层数	层板
OTLD-2406W	2450x600x2200	52x45x1.5	60x40x1.5	300	5	plywood
OTLD-2406M	2450x600x2200	52x45x1.5	60x40x2.0	300	5	steel board
OTMD-2508	2500x800x3000	70x50x1.5	100x45x1.5	1500	2	no





Heavy Duty Rack 重型货架

重型货架

Heavy duty rack, also called beam rack, suitable for storage of all kinds of goods,

can operate with forklift and stacker, widely used in high warehouse. 重型货架适合储存各类货架,特别适合于使用叉车及堆垛机的操作使用,是众多企业广泛采用的货架。



Features of Heavy Duty Rack

- Assembling structure, consist of upright, beam and related accessories, fully adjustable and easy installation.
- One of the most popular storage system, also call pallet rack or beam racking.
- Full range of accessories for various pallet type, and different request on size and load capacity for the system.
- A full range of accessories to enhance the safety for the storage system, such as safety key, upright protector, frame protector, etc.
- Load capacity: large carrying capacity, up to 10ton/layer.
- Layer height: each 75mm pitch can be adjusted.


















Back guardrail 背档杆







Steel wire mesh 铺钢丝网

Steel laminate 钢层板

Standards for reference:

Dimension	Upright	Beam	Load capacity	Layer
尺寸(mm)	立柱(mm)	横梁(mm)	每层承重(kg)	层数
2700x800x3300	95x70x1.5	120x45x1.5	2000	2
2700x800x4800	95x70x1.5	120x45x1.5	2000	3
2300x1000x3300	95x70x1.5	120x45x1.5	2000	2
2300x1000x4800	95x70x1.5	120x45x1.5	2000	3



Mezzanine Rack 阁楼式货架 STORAGE RACK

阁楼式货架


阁楼式货架是在已有的工作场地或货架上建一个中间阁楼,以增加存储空间,宜存取 一些轻泡及中小件货物,适于多品种大批量或多品种小批量货物,人工存取货物。货 物通常由叉车、液压升降台或货梯送至二楼、三楼,再由轻型小车或液压托盘车送至 某一位置。



Features

of Mezzanine Rack

- Mezzanine rack system, built a loft in the rack, modular structure, can be used in board, pattern plate, steel and other material as the floor.
- Normally used for higher warehouse, can manual access, store the small goods packaging with large storage capacity, such as electronic equipment and machinery spare parts and others, make full use of space.
- © Can be designed into two layers and multilayer, high space utilization and double make use of the ground space.
- @ Rack can be light, medium or heavy loading, any type is available, matching the users' actual requirements completely.
- @ Eliminate leased space costs and work in high efficiency combined with the lift platform.
- Strength and rigidity prevents compression damage to goods.




Mezzanine rack panel options 阁楼式货架隔面板











Pattern plate 花纹钢板 Perforated plate 冲孔楼板 Wooden plate 木楼板 Carbon steel plate 碳钢楼板







Features of Steel Platform

钢平台

- The steel platform is characterized by large carrying capacity, flexible design, easy to use and simple installation, has been widely used in the workshop or warehouse to effectively increase the storage capacity of the warehouse.
- All composite structure, and uprights are made from square or round tube, the beams are H type steel.
- As for the high warehouse, two or more layers of steel platform can be designed.
- © Can be equipped with staircase and goods elevator.
- Suitable for storing smaller items, within easy reach of warehouse personnel, for easy picking of boxed stock.
- Oan be completely disassembled, all parts can be reused, and their structure, size or location can be easily modified.





- **①** Main beam 主梁
- 2 Sub-beam 次梁
- 3 Connecting plate 连接板

- ◆ Upright 立柱
- ⑤ Anchor bolt 地角螺栓
- ⑥ Safety guardrail 安全护栏

- n Protection plate 护栏
- n Raking shores 斜拉撑
- on plate y 仁 otali s guardian 设
- 8 Stairs guardrail 楼梯护栏 9 Stairs 楼梯







Installation site





Very Narrow Aisel Storage Rack 窄道式货架

驶入式货架 Drive-in Racking



窄道式货架


Very Narrow Aisel (VNA) rackign systems: making full use of roof height to create ultimate storage capacity with high ground utilization rate. The system maintains the essential 100% accessibility and outstanding goods protection feature to ensure quick picking rate and flawless stock rotation.

窄道式货架通道窄小,增加了仓储空间的利用率,地面的使用率高。存取货物速度较快。适用于仓库比较高,对整个仓库空间利用率比较高的用户。货架存储密度极高,但其投资相对较大,对货架品质,安装品质要求也比较高。



- Suitable for storage large amount of goods, the goods in and out frequently, high requirement on sorting the goods.
- Suitable for the warehouse available clear height is higher, more than over 8M.
- The passageway is much more narrow than the general racking system, which will be about 1600mm-2000mm, greatly improve the warehouse space utilization.
- There is guardrail around the rack as the guidance system fo the forklift, avoided the forklift driver danger on the rack because of artificial factors, which is lower requirement on the driver.

Standard Pallet Rack Configuration





Very Narrow Aisle Rack Configuration








驶入式货架

DRIVE-IN RACK

驶入式货架是一种不以通道分割的、连续性的整栋式货架,采用托盘存取模式,适用于品种少,批量大类型的货物储存。与货位式货架相比,驶入式货架的库空间利用率可提高30%以上,广泛应用于各类仓库及物流中心如:食品、烟草、乳业、饮料等行业,冷库中也较为多见。

- Goods storage channel also is the forklift transportation channel, with high storage density;
- This system is designed to efficiently suit to storage of homogeneous products in large quantity. Picking and storage is facilitated by forklift driving right into the racks. Suitable for food, tobacco, dairy, beverage and cold room storage, etc;
- Created to offer maximum storage capacity by using up only minimum space;
- Through the stability ofdrive-in racking system is relatively weak in all kinds of shelf, it can not too high, generally within 10M, 3~4 layer of tray height, total depth design up to less than 7 tray.







APPLICATION









Shuttle Rack 穿梭式货架

穿梭式货架

Application: Suitable for the goods with large quantity and few kind, such as food,


beverage, chemical, tobacco and so on.

适合存储空间有限、需要最大化利用空间的仓库、对仓库较小的厂家是很好的选择。



- Shuttle rack system is composed of high density storage rack, shuttle cow forklift, convenient ex-warehouse and warehousing, high access efficiency during exwarehouse and warehousing.
- Shuttle rack removes the need for forklift trucks to enter the aisles and hence offers a cost effective and time saving storage solution.
- Better safety and anti-seismic performance than drive-in racks.
- Reduce the time in cold working, improve work efficiency and working security.
- Operating flexibility, the access of goods: FIFO and FILO are optional.
- Smart outlook, firm and durable, no need to maintenance.

Save Time Save Space Save Money







Shuttle car 穿梭式台车

Guide rail junction plate,

with good bearing strength.

导轨连接板特殊型材, 配合导轨,承载强度好。



Guide plate 导向板

Remote control 无线遥控



Shuttle car can move the shelves from the depth of the tray to the front, use the forklift to take down the goods.

穿梭车将货物深处的托盘移动主货架 最前端,用叉车将托盘货架从上取下。



Cantilever Rack 悬臂货架

悬臂货架


Cantilever Rack is one of the most important storage rack. For storing long material, sheet, pipe and irregular goods. 悬臂货架适用于存放长物料,环形物料,钢材,管材以及不规则货物。



Features of Cantilever Rack

- © Can be single-side or double-side.
- Stable structure.
- Good load capacity.
- High space utilization.


Cantilever Rack Structural Drawing 悬臂式货架结构图

































the desired	Workbellch TJE =	22
	Tool Cabinet / Tool Trolley 工具柜/工具车	27
	Tools Display Rack 工具展示架	29
	CNC Tools Storage 数控工具储存	31
	Logistic Trolley / Table Trolley 物流台车	33
	Bottled Water Rack 桶装水架	34
	Warehouse Rack Ladder 登高车	34
	Stacking Rack 巩固架/堆垛架	34
	Wire Mesh Pallet 仓储笼	34
	Spare Parts 配件:镀锌挂钩/零件盒	35



Why need **STATION EQUIPMEN?**

Station Equipment as a 'must have' tools organizer for higher efficiency and productivity in

workshop service center vocational institution production line

R&D center auto-service garage

or anywhere tools are being used for service, repair, overhaul or production.

STATION EQUIPMENT can realize:



Production standardization 生产标准规范化

The trend of development of enterprise, meet 5S management



Time, labor, space saving 省时,省人力,省空间

Saving the time of tools searching which used to be on the ground or anywhere.

No need to hire someone specially in charge of material and tools management. Each working station will own their station equipment which the tools they need have been prepared inside.

Station equipment make full of space to improve storage capacity, which realize space saving.



High efficiency and productivity 高效

Station equipment as a good helper for the worker, play an important role in improving productivity and efficiency for the enterprise.



Professional image 专业形象

Improve a company's soft power and corporate image, offer a pleasing working environment to the worker, which can raise their working enthusiasm.



Saving Money

Low investment, high return.



Heavy Duty Workbench

重型工作台

Heavy duty workbench, is built for rugged durability and stand up to the harshest work environments. It can be customized with a broad selection of accessories to meet your particular machine tool or production line needs. Widly used in the factory workshop, warehouse, maintenance workshop.

- Steady frame with maximum capacity 1000kg.
- Various of surface material, adapt to different application.
- O Multiple standard accessories: Square hole hanging panel, Louver hanging panel, work light, tool cabinet, table vise and so on to meet the needs of various station.





Classification of Worksurface

- Composite Board: Powerful comprehensive, suit for installation, debugging and beating lightly. 复合台面:耐油、耐磨耐酸碱、抗冲击力强,多用于轻、重型工作台。
- Beech Board: suit for heavy molds and machinery. 榉木台面:适用于重型模具和机械使用。
- Fireproofing Board: use for light duty workbench. 防火板台面:多用于轻、重型工作台。
- O Stainless Steel Cover Board: suit for the environment with oil, corrosive or ultraclean. 不锈钢台面:美观、强度好,耐磨耐用,耐酸碱,多用于轻、重型包装、检测工作台。
- O Metal Cover Board: Good strength, impact resistance, wear-resisting & durable, long service life, use for heavy duty workbench. 铁板包面:强度好,耐冲击,耐磨耐用,使用寿命长,多用于重型工作台。
- Metal Board: High strength, strong impact resistance, wear-resisting & durable, long service life, can assemble with vise, usually for heavy duty vise bench and maintenance workbench. 铁板台面:强度高,抗冲击力强,耐磨耐用,使用寿命长,可装配台虎钳,多用于重型钳工台、维修

Features of Composite Board 复合台面工作台

- O Good surface roughness.
- 2mm thickness of PVC surface material which with the function of acid and alkali resistance, abrasion resistance, oil resistance.
- O Use high pressure fiberboard for table, with impact resistance.
- O Special circular table angel to prevent the damaged from the operation.
- Use sealing side of high strength plastic, it is stable, practical, not easy to damage, not easy to fall off.







Composite Workbench with Double Cabinet

omposito montibol	ich with boable oabine
Model 型号	OTDD-1844
Dimension尺寸	1800x750x800mm
20GP container	39 units
40HQ container	98 units
Drawer size	L490xW390
抽屉尺寸	H:80/120/200/200mm
,	



Composite Workbench with 2-Hanging Drawer

Model 型号	OTHD-1502
Dimension 尺寸	1500x750x800mm
20GP container	77 units
40HQ container	185 units
Drawer size 抽屉尺寸	440x390x80/100mm



Composite Workbench with 1-Hanging Drawer

Expenses a service of the second service of	
Model 型号	OTHD-1501
Dimension尺寸	1500x750x800mm
20GP container	123 units
40HQ container	290 units
Drawer size 抽屉尺寸	440x390x80mm

Features of Beech Board 榉木台面工作台

- Hard material, straight texture, reasonable structure.
- Wear-resisting, with luster, not easy to deformation.
- Easy processing, painting, good agglutination.



Beech Workbench with Double Cabinet

Model 型号	OTDD-1844
Dimension 尺寸	1800x750x800mm
20GP container	39 units
40HQ container	98 units



Beech Workbench with 2-Hanging Drawer

Model 型号	OTHD-1802
Dimension尺寸	1800x750x800mm
20GP container	66 units
40HQ container	156 units

Features

of Stainless Steel Board 不锈钢台面工作台

- Flattening, safety, good strength, attractive, durable, 100% recycled.
- O Resistance to air, steam, water and other weak corrosive medium. Resistance to acid, alkali, salt and other chemically aggressive medium.
- O Suitable for using in dustproof, anti-corrosive environments. Improve the process condition with good effect.



Stainless Steel Workbench 02

Model 型号	OTWD-1500S
Dimension 尺寸	1500x750x(800+960)mm




Stainless Steel Workbench 03

Model 型号	OTDD-1844
Dimension尺寸	1800x750x800mm

轻型工作台

LIGHT DUTY WORKBENCH, With a flexible selection of standard

components to meet the market requirement. Mostly use for repairing, testing, assembling, mechanical, electronic products and components, as well as packaging, calibration and R&D development.



Light Duty Workbench

Model	LDW-12ABCDE
Load capacity	500KG
Dimension	1200x750x(750+1050)mm
Net weight	52.2KG
20GP container	183 units
40HQ container	434 units
Packing size	1290x820x155mm






Tool Cabinet / Tool Trolley _{丁县柜/丁县车}

STATION EQUIPMENT

工具柜/工具车

TOOL CABINET, making manufacturing, maintenance and repair more productive,

helpful for on-time, accurate, high efficiency and low consumption during the tools storage and taking. Large volumes of tools and parts can be rolled out directly to the job where the workers can be readily accessible to maintenance and repair personnel.



Tool Trolley with Single Door Five Drawers (WLG01-1AB)

Tool Trolley with onigie bool I we brawe	as (WEGOT-IAB)
Model 型号	WLG01-1AB
Dimension 尺寸	1100x500x(1000+500)mm
Load Capacity 承重	400kg,50kg/drawer
Net Weight 净重	77KG
20GP container 20GP数量	44 units
40HQ container 40HQ数量	112 units

Remark: A&B are opional parts for chosen on reguest.



Tool Trolley

our money	
Model 型号	WLC02
Dimension 尺寸	1020x500x1840mm
Load Capacity 承重	80KG
Net Weight 净重	1060x1900x320mm
20GP container 20GP数量	45 units
40HQ container 40HQ数量	105 units
Refer 参考	#01,40pcs;#02,45pcs;
	#04,12pcs;#05,18pcs;



Model 型号	WLG03	WLG04	WLG03S	WLG04S
Dimension 尺寸	600x545x705mm	600x545x860mm	840x500x995mm	1200x750x1030mm
Net Weight 净重	39KG	47KG	72KG	## C
20GP container	112 units	112 units	86 units	33 units
40HQ container	271 units	271 units	210 units	78 units



Shelf Trolley 手推车

Contract Strategical A (Adv. 18			
Model 型号	STC75-30	STC75-21	STC75-22
Dimension 尺寸	750x410x880mm	750x410x880mm	750x410x880mm
Packing size 包装尺寸	765x461x321mm	765x461x251mm	765x461x251mm
Net weigh 净重	16.5KG	17KG	20.5KG
Load capacity 承重	300KG	300KG	300KG
20GP container	276 units	352 units	352 units
40HQ container	648 units	830 units	830 units



Tools Display Rack _{丁县展示架}

工具展示架

Tools Display Rack with two main parts: square hole hanging panel and louver hanging panel, combine with hang bins, pothook, top shelf and other accessories. Which is helpful to classify the storage of small amounts of tools and materials, easy to transport and make full use of space.

Features of Tools Display Rack

- Suitable for putting small parts;
- O Save space, clear and tidy;
- The pothook used with square hole hanging panel, can be changed the hole position arbitrarily, safety and steady, satisfy the fixed location management, save time for searching; Hang bins used with louver hanging penal, small tools and materials can be separated storage by different color.

Light Display Rack 工具展示型

Model	CRM-2342
Load capacity	250KG
Dimension	960x610x1560mm
Net weight	48KG
20GP container	341units
40HQ container	788units
Packing size	1005x645x130mm





Coding mode 编码方案













Case Rack M=Movable 移动

N=Connecting 连接架

I =Independent 固定 2=Double side 双面 panel height

1=Singel side 单面 2=2pcs hanging

hanging panel QTY 方孔挂板数量

Louver hanging panel QTY 百页挂板数量



Movable Type 移动型

Model	Specification Wx Dx H (mm)	Composition	Square hole hanging panel QTY	Louver hanging panel QTY
CRM-2204			0	4
CRM-2222	960x610x1110	0x610x1110 Double side,4pcs panels	2	2
CRM-2240			4	0
CRM-2306			0	6
CRM-2324	960x610x1560	Double side,6pcs panels	2	4
CRM-2342	900001001300	Double side, opes pariets	4	2
CRM-2360			6	0

Independent Type 固定型



Model	Specification Wx Dx H (mm)	Composition	Square hole hanging panel QTY	Louver hanging panel QTY
CRI-1303			0	3
CRI-1312	970x375x1450	Single side,3pcs panels	1	2
CRI-1321	9/033/331430	Olligie side, opes parieis	2	1
CRI-1330			3	0
CRI-2306			0	6
CRI-2324	970x630x1450	Double side,6pcs panels	2	4
CRI-2342	970000001450	Double side, opes pariets	4	2
CRI-2360			6	0
CRI-1404			0	4
CRI-1413			1	3
CRI-1422	970x375x1910	0x375x1910 Single side,4pcs panels	2	2
CRI-1431			3	1
CRI-1440			4	0
CRI-2408			0	8
CRI-2426			2	6
CRI-2444	970x630x1910	Double side,8pcs panels	4	4
CRI-2462			6	2
CRI-2480			8	0

Connecting Type 连接型



Model	Specification Wx Dx H (mm)	Composition	Square hole hanging panel QTY	Louver hanging panel QTY
CRN-1303			0	3
CRN-1312	930x375x1450	Single side,3pcs panels	1	2
CRN-1321	930x3/5x1450	Single side, spcs pariers	2	1
CRN-1330			3	0
CRN-2306			0	6
CRN-2324	020462044460	Double side,6pcs panels	2	4
CRN-2342	930x630x1450	Double side, opcs pariers	4	2
CRN-2360			6	0
CRN-1404			0	4
CRN-1413			1	3
CRN-1422	930x375x1910	Single side,4pcs panels	2	2
CRN-1431			3	1
CRN-1440			4	0
CRN-2408			0	8
CRN-2426			2	6
CRN-2444	930x630x1910	Double side,8pcs panels	4	4
CRN-2462			6	2
CRN-2480			8	0



CNS Tools Storage 数控刀具储存

STATION EQUIPMENT

数控刀具储存

CNC Tool Storage specially store the cutter of various lathes. It's made of high-quality steel, stable and durable. Commonly used in the factory machining center, to facilitate centralized management of the milling cutter.



Features of CNC Tool Storage

- O Use bolt structure, can match up ISO and HSK series standard cutter;
- O Herringbone pore structure, the tool apron can be adjusted to 0,15,30 degree by the bolt;
- O All thread structure, easy installation;
- Equipment with stowage plate, convenient to storage other tools;
- Fully closed structure can be choose, dustproof and safety, suitable for tool magazine.





刀具车 CNC Tool Trolley (WLD01) Spec:1100x600x880mm

刀具框 CNC Tool Storage Cabinet (WLD03)









Tool Cover

















Mode	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
BT30	65	32	30	24	35
BT40	82	47	38	32	54
BT50	108	72	59	53	69









Mode	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HKS40	64	41	36.5	30	35
HKS63	86.4	64	54.5	48	35
HKS80	103	81	66	60.5	35
HKS100	123.5	101	81.5	75	35

Tool Apron

Tool Apron is the basic product for cutter storage series, can be used cooperatively with tool trolley, tool rack, tool cabinet for milling cutter, convenient for the transportation and storage of the milling cutters.



*High quality cold-rolled steel sheet and special spray surface treatment, sturdy and durable; Use the screw to fix the tool cover on the tool apron, no need to change the tool apron, just change the tool cover after long time using.



Special design of the galvanized handle and special position, make it convenient to take in different workshop.

Features

- O The tool apron use with tool cabinet cooperatively
- Modular design, arbitrary combination, strong universality
- The hooks end of the tool apron, match with the bolt, more safety and reliable when using
- ◆ The tool apron is customized according to the number of cutter and the size of the tool cabinet.

Logistic Trolley / Table Trolley 物流台车

STATION EQUIPMENT

Others



STATION EQUIPMENT

物流台车

Logistic Trolley is a kind of equipment with four castor to transport and storage the material. Commonly use for logistics distribution in the supermarket or logistics turnover between the factory processes.

Features of Logistic Trolley

- O Time and labor saving when transport, load and unload the goods;
- Product display markedly;
- Guardrail door and adjustable shelves can be provided if needed;
- O Classification of goods storage, easy management;
- Assort with circulation boxes to use, convenient for delivery;
- Can folding stacking storage to save space;
- O Use high quality steel sheet, sturdy and for durable.







Logistic Trolley 物流台车

Model 型号	WLC01	WLC03	WLC02
Dimension 尺寸	1100x800x1450mm	1100x800x1700mm	1100x800x1700mm
Net weight 净重	57KG	60KG	68KG
20GP container	81 units	63 units	54 units
40HQ container	188 units	160 units	128 units





Bottled Water Rack 桶装水架 Dimension 尺寸 940x990x1635mm




Warehouse Rack Ladder 登高车 Dimension 尺寸 1600x900x1800mm



Stacking Rack 巧固架/堆垛架

Dimension尺寸	1150x1000x1200mm
20GP container	64 units , 18units/pkgs
40HQ container	154 units, 11 units/pkg



Wire Mesh Pallet 仓储笼

Dimension尺寸	800x600x640mm	
	1000x800x840mm	
	1200v1000v890mm	



配件

Galvanized Hook 镀锌挂钩

No.	'ANIZECI HOOK 玻彩 Name	Picture		Spe	cificatio	on	
1	Drill Stands 钻头架	L	Model KG-101	L(mm) 390	Holes (1 26	10.)	
2	Single Hook 单挂钩		Model KG-401 KG-402 KG-403	L(mm) 25 50 75	φ(mm) 6 6 6		
3	Double Hook 双挂钩	B	Model KG-501 KG-502 KG-503	L(mm) 25 50 75	φ(mm) 6 6 6	B(mm) 35 35 35	
4	Six Pole Hook 六杆挂钩	B	Model KG-601	L(mm) 240	φ(mm) 6	A(mm) 44	B(mm) 138
5	U-shaped Hook U型挂钩	W	Model KG-1101 KG-1102	L(mm) 30 50	W(mm) 35 35		
6	Bracket 杆件托架		Model KG-1801 KG-1802	φ(mm) 60 100			
7	Pliers Hook 钳类挂具	B	Model KG-1601	L(mm) 150	B(mm) 30		
8	Spanner Shelf 扳手架	B	Model KG-1201	L(mm) 125	A(mm) 75	B(mm) 145	
9	Screw Driver Shelf 螺丝刀架		Model KG-1701	L(mm) 390			
10	Single Oblique Hook 单斜挂钩		Model KG-1301 KG-1302 KG-1303 KG-1304 KG-1305	L(mm) 50 75 100 150 200	φ(mm) 6 6 6 6 6		
11	Double Obique Hook 双斜挂钩	φ <u>I</u>	Model KG-201 KG-202 KG-203 KG-204 KG-205	L(mm) 50 75 100 150 200	φ(mm) 6 6 6 6 6	B(mm) 35 35 35 35 35 35	

No.	Name	Picture	Specification
12	Round Hook 圆形挂钩		Model φ(mm) KG-801 60 KG-802 80
13	Sleeve Hook 套筒挂钩		Model L(mm) KG-901 195
14	Inclined Straight Hook 斜直挂钩	D L	Model L(mm) φ(mm) KG-701 50 6 KG-702 100 6
15	Hexagon Spanner Shelf 六角扳手架		Model:KG-301
16	Saw Hook 锯用挂钩	W S	Model: KG-1501

Hang Bins



No.型号	Name	Size(mm) 尺寸
Pk-011	Hang Bins	105x110x50
PK-012	Hang Bins	105x140x75
Pk-013	Hang Bins	105×190×75
Pk-014	Hang Bins	140x220x125
Pk-015	Hang Bins	140x270x125

Three color can be chosen in each size: blue, red, yellow. Helpful for the sort management of the spare parts.

OFFICE

FURNITURE 钢制办公家具





















Fashion File Cabinet 新型文件柜

Digital Podium 电教讲台

File Cabinet 文件柜

Stub Cabinet / Wardrobe 存根柜/衣柜

Locker / Shoe Cabinet 储物柜/鞋柜

Electronic Password Cabinet 电子密码柜



Fashion File Cabinet 新型文件柜

To work in a relaxed and pleasant office,

choose fresh File Cabinet


铁艺文件柜已货国家专利

Superior environmental SECC material.

ONETOOL

- Migh-quality hardware accessories, 10 years warranty.
- Same key for all locks, more convenience to stoarge.
- Ball bearing slide can be easily remove, more durable and smoothly for daily use.
- Patent of appearance designm unique style.





Model 型号 Dimension(mm) 尺寸		Dimension(mm)尺寸	Packing size(mm) 包装尺寸	20GP	40HQ
CY-1001	CY-3001	850x410x870	840x480x280	267	632
CY-1002	CY-3002	850x410x1210	1180x480x310	166	421
CY-1003	CY-3003	850x410x1580	1740x480x240	138	347
CY-1004	CY-3004	850x410x1950	1920x480x260	120	303

Digital Podium 电教讲台

Model 型号	DJ004
Dimension 尺寸	1150x650x880mm
Net weight 净重	45KG
20GP container	78 units
40HQ container	196 units
<i>**</i>	





Low Investment

Perfect device

for the institutions, schools, meeting rooms, training room, lectare halls, etc.

- Less space occupation;
- Multi functional design can be placed;
- Safe and good protection for the multimedia device;
- Much more convenient for the user;
- O Disassembly structure, easy installation, saving cost and space for the shipment.





Office Furniture 办公家具

电子密码柜 Electronic Password Cabinet



文件柜

File Cabinet



HG001(2 Drawer) 455x620x735mm



HG002(3 Drawer) 455x620x1030mm



HG003(4 Drawer) 455x620x1335mm



HG004 900x410x1800mm



HG005 900x410x1800mm



HG007 900x4100x1800mm 900x410x1800mm



HG009





900x320x1800mm 900x410x1800mm 900x410x1800mm



HG017



HG018





980x480x1800mm



HG021 980x480x1800mm



980x480x1900mm



HG024 980x480x1900mm

储物柜



HG053 550x500x1950mm



HG032 980x410x1900mm

鞋柜 **Shoe Cabinet**



HG047 980x380x996mm



HG048 980x380x1900mm

Password + key = double insurance input 3 times wrong password cause the warning sound



Movement and get injured will cause the warning sound



Large space





Can put in the laptop



SLR camera



Important document



Important certificate



Small amount of cash and collect







Now, Hong Kong Has fully promote this independent stall,

WHAT DO YOU WAIT
















Independent Market Stall 新型排档



To our dear customers:

ONETOOL, is not just a manufacturer for producing steelwork, we are focus on the development of the market, listen to the requirement from you, our R&D team will discuss together and make the product meet the trend of the market and your demand. Your trust is the best motivation to us.

●NET●●L 致力开发新产品,迎合市场新趋势。

你有需求,我来实现!



Independent Market Stall

Have you ever thought that, people didn't come into your stall just because your stall didn't attract them

Do you always boring that is not enough space to show your products clearly

Do you pay too much time on the preparation of opening your stall and closing, and less time on your family?



the traditional stall,

G

The new type independent market stall enjoy following

Fresh & attractive appearance, catch people's attention at once.

Practical design, maximize space utilization, professional layout.

Strong and reliable quality, waterproof and rust-proof, ensure safety.

Save both time and labour, free from worry, easy application.

Most importantly, beautify the street environment of the country.





A new age of product: Independent Market Stall



Practical design, Wide range of application, Suitable for clothes, Jewelry, Small appliance, Mobile phone accessories and Food selling.



SOLUTIONS 解决方案

汽修行业 SOLUTIONS FOR AUTO-SERVICE, **REPAIR & MAINTENANCE**













Tools displayed clearly with tool trolley and tools rack, convenient for workers to take. Needed tools and parts put in the shelf trolley and be transported to the working station, saving time for searching and labor waste. No need to work on the ground, can work on the workbench, improve working efficiency and environment.




Tools display rack

Tools and parts displayed clearly, easy take and move, also can be designed on the wall



Heavy duty workbench

Load capacity reach 1000kg, can do repairing on the table, such as the air-end.





Tool Trolley

Large load capacity for storage and display the tools and parts.



Shelf trolley

Simple structure, 300kg load capacity, for the frequently-used tools temporary placing, convenient for taking and moving to the different working station.

Cartwheel storage rack

Specially used in the auto-service for the cartwheel display and storage.



SOLUTIONS 解决方案

SOLUTIONS FOR 电子行业 ELECTROIC INDUSTRY











Light duty workbench

Functional workbench can meet the different requirement of the production line, such as assembly, wiring, debugging and packing.





Logistic trolley (table trolley)

Use to transport the goods to next process or warehouse.



Shelf trolley

Can put in the tools which always been used or transport the small workpiece.



Heavy duty workbench

Table surface can be chosen base on requirement.

SOLUTIONS FOR 机械制造业 MECHANICAL PROCESSING









Tool Trolley

Large load capacity for storage and display the tools and parts.



Shelf trolley

The finished goods can be placed in the shelf trolley; tools can be placed on it, which is needed to be transported at any time.



CNC tools trolley

Use in CNC machinery workshop, display the CNC tools clearly and easy to take.



Heavy duty workbench

Can install with vise to use, 1000kg load capacity.



SOLUTIONS 解决方案

SOLUTIONS FOR 仓储物流 WAREHOUSING & LOGISTICS















Warehousing and logistics are the important parts in the enterprise. Station equipment will be a good helper and organizer in space management and time saving.





Stacking rack

Folding structure, goods storage directly, no need to add the pallet. Easy to transport by forklift at any direction.



Logistic trolley (table trolley)

Storage the goods in the warehouse, which can be transport easily at any time. Also can customize the logistic trolley base on the product features.



Storage rack

According to the actual requirement, light duty or heavy duty can be chosen.



Tools display rack

Use for the tools unified management.



WASHING INDUSTRY 服装、洗水行业





Model 型号

Packing size 包装尺寸

Size尺寸



LDW-21

2100x900x(900+900)mm

2120x940x110mm










Washing trolley 洗水车

Model 型号
Size 尺寸
PE tub size 胶桶尺寸
Capacity 容量

WT14 WT20
1460x960x900mm 2000x1200x900mm
1200x800x630mm 1700x970x630mm
600L 1050L









Aluminum trolley 铝制车


	the same of the sa
Model型号	OTAT-51
Size 尺寸	1500x930x890mm

Remark 备注:

Half opening truncated cone on the long side to unload material. Horizontal stiffened ribs approx. each 120 mm.







Plastic pallet 塑料托盘

		ridatic pariet = 1716m			
Model型号	J1210-145	T1210-150	C1210-150		
Size 尺寸	1200x1000x145mm	1200x1000x150mm	1200x1000x150mm		
Static load 静载	2T, 600 KG	3T, 2T	5T, 1~2 T		
Dynamic load 动载	800KG, 200~300 KG	1T, 600 KG	1.2T, 500-800 KG		

Turnover basket 周转篮

Samuel Ball		
		To the
		Ť

Model 型号	Z04#	Z10#
Size 尺寸	670x475x420mm	830x635x430mm
Material 材料	Virgin HDPE	Virgin HDPE



Storage Rack

Raw material storage——Option 1

布匹存放--选择1



Cloths storage rack 布匹货架

9	
Model 型号	OTMR-2425
Size 尺寸	L2450 x W1700 x H2500 mm
Load capacity 承重	1000kg/layer
Layer 层数	3
Lujoi /Lxx	

Raw material storage——Option 2



Stacking rack 堆垛架

Model 型号	QGJ11S
Size 尺寸	L1100 x W1500 x H1200mm
Load capacity 承重	700-1000KG
Remark 备注	pave with 15mm plywood

Storage rack+ Stacking rack

Model 型号	HDR-2535
Size 尺寸	L2500 x W1200 x H3500mm
Load capacity 承重	2500KG
layer 层数	3
Model 型号	QGJ11
Size 尺寸	L1100 x W1500 x H1200mm
Load capacity 承重	700-1000KG

Finished products storage 成品存放



Model 型号	LDR-2430
Size(mm) 尺寸	2450x1220x3000mm
Layer 层数	6
Load capacity 承重	300KG/layer
Laminate 层板	plywood/steel board
Model 型号	LDR-2425
Model 型号 Size(mm) 尺寸	LDR-2425 2450x1220x2500mm
3	
Size(mm)尺寸	2450x1220x2500mm
Size(mm) 尺寸 Layer 层数	2450x1220x2500mm 5



JIANYE GROUP CO.,LTD.



ASHINE®

Professional Hotel & Restaurant Supplier

www.jianyegroup.cn



JIANYE

Air Compressor & Compressed Air Equipment of Purging

www.jianyemachine.cn


Wider Choice, More Opportunities, Better Service.



JIANYE GROUP CO.,LTD.

(Ă)MIN JIA

CNC Lathe Machine
CNC Grinding Machine
Machine Center
Turn-Mill Center
Customized CNC Machine



www.gzminjia.com/en





www.jianyelaundry.cn

